

The Penicillin **Allergy Clinic**

Phone: 1-888-PEN-ALRG (736-2574)

Fax: 1-888-736-1743

Website: www.penallergy.com Email: info@penallergy.com

Dear Oncologist,

As of September 2020, our clinic will begin testing patients in Winnipeg for true Penicillin/Amoxicillin allergy in an attempt to de-label all false allergies. Approximately 10% of patients report a Penicillin allergy of which 95% are false. This leads to unnecessary avoidance of Penicillin/Amoxicillin in place of more expensive broad-spectrum antibiotics. Choosing Wisely recommends ALL patients with a Penicillin allergy be referred for testing [1].

Our de-labelling process is incredibly safe and requires only a few hours of the patient's time. Our process allows us to de-label low risk patients which is the majority of patients who carry a Penicillin or Amoxicillin allergy label. This type of allergy testing has shown to be safe in cancer patients [2]. Any patients we deem higher risk who are unable to be de-labelled at our clinic will be referred to an allergist for further management. We do not offer skin testing as the most recent studies and guidelines state that skin-prick and intra-dermal testing are not required for a majority of patients who are at low-risk for a Penicillin/Amoxicillin allergy. There are numerous benefits to you and your patients by removing their Penicillin/Amoxicillin allergy such as...

Benefits to Cancer Patients by Removing Penicillin/Amoxicillin Allergy

- Lower mortality, shorter hospital stays, lower re-admission rate in hospitalized hematological malignancy patients [3]
- Decrease number of alternative antibiotics used and reduced duration of antibiotics in hospitalized hematological malignancy patients [3]
- Significant increase in narrow-spectrum antibiotic use in febrile neutropenia [4]
- Lower risk of adverse events, multidrug-resistant organisms, C. difficile infections from use of more broad-spectrum antibiotics [5]

Benefits to Healthcare System by Removing Penicillin/Amoxicillin Allergy

- Lower overall hospital costs in hospitalized patients with hematological malignancies [3]
- Inpatient costs savings were \$1145-\$4254 per patient when Penicillin allergy was removed [6]

To provide your patients the best possible care and reduce healthcare costs, please fax a consult to 1-888-736-1743 addressed to the 'The Penicillin Allergy Clinic'.

Sincerely,

Dr. Norm Silver, FRCPC Pediatrician/Emergency Physician

Dr. Taft Micks, CCFP(EM) Family/Emergency Physician

References

I. Choosing Wisely. American Academy of Allergy, Asthma & Immunology. https://www.choosingwisely.org/clinician-lists/american-academy-allergy-asthma-immunlogy-non-beta-lactam-

2. Trubiano JA, Smibrt O, Douglas A, Devchand M, Lambros B, Holmes NE, et al. The safety and efficacy of an oral penicillin challenge program in cancer patients: A Multicenter Pilot Study.

Open Forum Infect Dis. 2018 Dec; 5(12): ofy306
3. Huang KG, Cluzet V, Hamilton K, Fadugba O. The impact of reported beta-lactam allergy in hospitalized patients with hematologic malignancies requiring antibiotics. Clin Infect Dis 2018;67:27-33

4. Trubiano JA, Grayson ML, Phillips EJ, Stewardson AJ, Thursky KA, Slavin MA, Antibiotic allergy testing improves antibiotic appropriateness in patients with cancer. J Antimcrob Chemother 2018; 73:3209-3211

2016, 73.5209-5211

S. Aitken SL, Nagel JL, Abbo L, Alegria W, Barreto JN, Dadwal S, et al. Antimicrobial stewardship in patients with cancer: the time is now. J Natl Compr Canc Netw. 2019 Jul 1;17(7):772-775

6. Chen JR, Tarver SA, Alvarez KS, Wei W, Khan DA. Improving aztreonam stewardship and cost through a pencillin allergy testing clinical guideline. Open Forum Infect Dis. 2018 May 5;5(6)